

Kerberos for Distributed Systems Security

Cunsheng Ding
HKUST, Hong Kong, CHINA

Agenda

- Distributed system security
- Introduction to Kerberos
- Kerberos Version 4 Authentication Protocol
- Authentication with Kerberos in Windows NT 5 and Windows 2000

Distributed Systems Security

Distributed Systems

- A distributed system: a collection of computers linked via some network.
- Characteristic: The components of the distributed system may be under the authority of different organizations, and may be governed by different security policies.
 - Example: The Internet

Security Issues in Distributed Systems (1)

- **Impersonation of user:**
 - A user may gain access to a particular workstation and pretend to be another user operating from that workstation.
- **Impersonation of workstation:**
 - A user may alter the network address of a workstation so that the requests sent from the altered workstation appear to come from the impersonated workstation.

Security Issues in Distributed Systems (2)

- **Replay attacks:**
 - A user may eavesdrop on exchanges and use a replay attack to gain entrance to a server or to disrupt operations.
- **Conclusion:**
 - In any of these cases, an unauthorized user may be able to gain access to services and data that he or she is not authorized to access.

Security Services in Distributed Systems

- Authentication *****
- Guarding the boundaries of internal networks
 - Firewalls (covered in this course)
- Access control to distributed objects
 - Access control techniques (not covered)
- Availability
 - Counter DoS techniques (not covered)

Security Policies

- Fact: In a distributed system, users are not necessarily registered at the node they are accessing an object.
- Question: How to authenticate a user?
- Answer: usually, user ID + passwd


Examples: Unix System

- ftp: transfer files between Unix systems.
- telnet, rlogin: remote access
 - use user identity and password for authentication;
- New problem: How can my password travel through the network securely?

Kerberos Version 4 Authentication Protocol

Kerberos Version 4

- Centralized network authentication service
- Developed in the Project Athena in MIT
- In Greek Mythology, the three headed guard dog of Hades



Environment Addressed

- An open distributed environment in which
 - Users at workstations wish to access services on servers distributed throughout the network.
 - Servers can:
 - restrict access to authorized users and
 - authenticate requests for service.
 - Workstations cannot be trusted to identify its users correctly to network services.

Requirements for Kerberos


- **Secure**: Opponent cannot impersonate a user and the Kerberos service should not be a weak link.
- **Reliable**: Highly reliable Kerberos service to ensure availability of supported services of application servers.
- **Transparent** : Users are only required to enter a password once and don't know the authentication.
- **Scalable**: System can support large numbers of clients and servers.

Kerberos 4 Overview

- A basic third-party authentication scheme
- Have an Authentication Server (AS)
 - users initially negotiate with AS to identify self
 - AS provides a non-corruptible authentication credential (ticket granting ticket TGT)
- Have a Ticket Granting server (TGS)
 - users subsequently request access to other services from TGS on basis of users TGT

- 1. Each user shares a key with AS
- 2. TGS shares a key with AS
- 3. All servers are registered with AS

2. AS verifies user's access right in database, creates ticket-granting ticket and session key. Results are encrypted using key derived from user's password.



Further Information

- Only one symmetric cipher, i.e., DES, is used in Version 4. In version 5, AES is used.
- Each client needs to share a secret key with the AS only.
- AS and TGS share a secret key for authentication.
- Each server shares a secret key with the TGS.
- ID, timestamp, network address are used for authentication.

Two Ideas in Kerberos

- Protocol 1
 - $A \rightarrow E_k(\text{ID}_A | \text{ID}_B | \text{timestamp}) \rightarrow B$
 - What security services are provided by this protocol?
- Protocol 2: an email ticket for B issued by A
 - $A \rightarrow E_k(\text{ID}_A | \text{ID}_B | \text{AD}_B | \text{ID}_V | \text{Period validity}) \rightarrow B$
 - V is the email server, AD_B is B's network address
 - K is a secret key shared by A and V
 - It is a ticket for B issued by A. B can use it for email services many times.

Version 4 Authentication Dialogue Overview

(a) Authentication Service Exchange: to obtain ticket-granting ticket

(1) **C** → **AS**: $ID_c \parallel ID_{tgs} \parallel TS_1$

(2) **AS** → **C**: $E_{K_c} [K_{c,tgs} \parallel ID_{tgs} \parallel TS_2 \parallel Lifetime_2 \parallel Ticket_{tgs}]$

$$Ticket_{tgs} = E_{K_{tgs}} [K_{c,tgs} \parallel ID_c \parallel AD_c \parallel ID_{tgs} \parallel TS_2 \parallel Lifetime_2]$$

(b) Ticket-Granting Service Exchange: to obtain service-granting ticket

(3) **C** → **TGS**: $ID_v \parallel Ticket_{tgs} \parallel Authenticator_c$

(4) **TGS** → **C**: $E_{K_{c,tgs}} [K_{c,v} \parallel ID_v \parallel TS_4 \parallel Ticket_v]$

$$Ticket_{tgs} = E_{K_{tgs}} [K_{c,tgs} \parallel ID_c \parallel AD_c \parallel ID_{tgs} \parallel TS_2 \parallel Lifetime_2]$$

$$Ticket_v = E_{K_v} [K_{c,v} \parallel ID_c \parallel AD_c \parallel ID_v \parallel TS_4 \parallel Lifetime_4]$$

$$Authenticator_c = E_{K_{c,tgs}} [ID_c \parallel AD_c \parallel TS_3]$$

(c) Client/Server Authentication Exchange: to obtain service

(5) **C** → **V**: $Ticket_v \parallel Authenticator_c$

(6) **V** → **C**: $E_{K_{c,v}} [TS_5 + 1]$ (for mutual authentication)

$$Ticket_v = E_{K_v} [K_{c,v} \parallel ID_c \parallel AD_c \parallel ID_v \parallel TS_4 \parallel Lifetime_4]$$

$$Authenticator_c = E_{K_{c,v}} [ID_c \parallel AD_c \parallel TS_5]$$



Differences between V4 and V5

Difference Between Version 4 & 5 (1)

- Environmental shortcomings
 - Encryption system dependence
 - Any encryption algorithms can be used in v5 but only DES is possible in v4
 - Internet protocol dependence
 - Only IP is possible → to use any internet protocol

Difference Between Version 4 & 5 (2)


- Environmental shortcomings
 - Ticket Lifetime
 - 1280 minutes (maximum time) → any length of time
 - Authentication Forwarding
 - V4 does not allow credentials issued to one client to be forwarded to some other host and used by some other client. V5 provides this capability.

Difference Between Version 4 & 5 (3)

- Technical deficiencies
 - Double encryption in V4.
 - PCBC encryption (a new mode of operation)
 - In v5, Standard CBC is used

Authentication with Kerberos in Windows NT and Windows 2000

Kerberos 4: Protocol Overview



1. Request for TGS ticket
2. Ticket for TGS
3. Request for Server ticket

4. Ticket for Server
5. Request for service
6. Mutual authentication

Authentication in Windows NT 5 and Windows 2000

- The main objective is to present the basic idea without technical details.
- Those who wish to have details should read Kerberos 5 and details of Windows NT 5 and Windows 2000.


The Basic Idea

- Use a KDC to run the AS and TGS in Kerberos.
- The KDC is located in the Domain Controller.
- Use the TGT and service ticket as access tokens.

Initial Kerberos Ticket

Ticket Granting Ticket (TGT)

- First ticket is a Ticket Granting Ticket
 - Used by client to get tickets to other services
 - Contains *authorization data* based on group membership and privileges
- Ticket is encrypted in user's key known by the KDC
 - Requires knowledge of password to use
- Tickets are stored in a ticket cache managed by LSA (Local Security Authority).



Comments on Authentication with Kerberos

- Single Sign-On
 - Simple administration
 - Good administrative control
 - Good user productivity
 - Good network security